

City of Arlington Preliminary Site Assessment

SITE INFORMATION




Figure 1. Location Map.

Parcel Number:	31051800103000
Parcel Area (acres):	15
Site Address:	1105 200TH ST NE

Septic System Onsite?

OGDEN SHARON K & GARY A

Yes

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

SITE CHARACTERISTICS

> 33%

Percent Saturated/Wetland Soils Onsite		•		Low:	
			USGS Aquifer	Medium:	14.5%
	0 to 8%	77.7%	Sensitivity	High:	85.5%
Slopes Onsite	8 to 12%	6.3%	Drinking Water Wel	No	
	12 to 15%	3.2%	_		
	15 to 20%	4.2%			No
	20 to 33%	7.3%			No

Property Owner:

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

1.3%

Infiltrating Bioretention Cell/Swale	On a site by site basis	Permeable Pavement	On a site by site basis	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	On a site by site basis	Ponds and Wetlands	72%	Aboveground Sand Filtration	67%
Non-Infiltrating Bioretention	0%	Basic Filter Strips	On a site by site basis	Infiltration BMPs	67%
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	67%

CRITICAL AREAS MAP Fortage Creek Wetland 200TH ST NE

